

DAILY CENSUS MAPS

1995



1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE:   
TIME STARTED:   
TIME ENDED:   
WEATHER:   
OBSERVER:   
5400 (7) Row 7

5450 (6) Row 6

5500 (5) Row 5

5550 (4) Row 4

5600 (3) Row 3

5650 (2) Row 2

5700 (1) Row 1

5200 (Row 11) Row 11  
5250 (10) Row 10  
5300 (Row 9) Row 9

5350 (Row 8) Row 8

5400 (7) Row 7

5450 (6) Row 6

5500 (5) Row 5

5550 (4) Row 4

5600 (3) Row 3

5650 (2) Row 2

5700 (1) Row 1

04300 →

04250 →

04200 →

04150 →

04100 →

Back Gate

04350

04300

North Branch

0420

OLD FENCE






1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: \_\_\_\_\_  
TIME STARTED: \_\_\_\_\_  
TIME ENDED: \_\_\_\_\_

WEATHER: \_\_\_\_\_  
OBSERVER: \_\_\_\_\_






1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ..  
TIME STARTED: ..  
TIME ENDED: ..


WEATHER: ..  
OBSERVER: ..





SERC BIRD CENSUS PLOT

- | TIME       | DATE  |
|------------|-------|
| STARTED    |       |
| TIME ENDED |       |
| WEATHER:   | (S) S |
| OBSERVER:  | 00 20 |






1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: \_\_\_\_\_  
TIME STARTED: \_\_\_\_\_  
TIME ENDED: \_\_\_\_\_

WEATHER: \_\_\_\_\_  
OBSERVER: \_\_\_\_\_






1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: \_\_\_\_\_  
TIME STARTED: \_\_\_\_\_  
TIME ENDED: \_\_\_\_\_

WEATHER: \_\_\_\_\_  
OBSERVER: \_\_\_\_\_






1991

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...





1990

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE :  
TIME STARTED :  
TIME ENDED :

WEATHER :  
OBSERVER :





1990

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...

5550 (4)  
Row 4

5600 (3)  
Row 3

5650 (2)  
Row 2

5700 (1)  
Row 1

50m  
SCALE

5200 (Row 11)  
Row 11

5250 (10)  
Row 10

5300 (Row 9)  
Row 9

5350 (Row 8)  
Row 8

5400 (7)  
Row 7

5450 (6)  
Row 6

5500 (5)  
Row 5

CARRIAGE

ROAD

04350

04300

North Branch

0420

04300 →

04250 →


04200 →

04150 →

04100 →

Back Gate

OLD FENCE






1991

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:

WEATHER:   
 OBSERVER:






1991

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ..  
TIME STARTED: ..  
TIME ENDED: ..

WEATHER: ..  
OBSERVER: ..





1990

# SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:

WEATHER:   
 OBSERVER:





## Summer Checklist of Birds for SERC

Compiled by J.F. Lynch and D. Niven

These species occur regularly in the Rhode River-West River watershed during the summer months (June - August). Species marked with an asterisk (\*) are known to have bred in the watershed in recent years.

---

<input type="checkbox"/> Yellow-crowned Night Heron	<input type="checkbox"/> Chimney Swift	<input type="checkbox"/> Yellow-throated Vireo*
<input type="checkbox"/> Great Blue Heron	<input type="checkbox"/> Ruby-throated Hummingbird*	<input type="checkbox"/> Northern Parula
<input type="checkbox"/> Green Heron	<input type="checkbox"/> Belted Kingfisher	<input type="checkbox"/> Pine Warbler
<input type="checkbox"/> Cattle Egret	<input type="checkbox"/> Common Flicker*	<input type="checkbox"/> Prairie Warbler*
<input type="checkbox"/> Common Egret	<input type="checkbox"/> Pileated Woodpecker*	<input type="checkbox"/> Common Yellowthroat*
<input type="checkbox"/> Snowy Egret	<input type="checkbox"/> Red-bellied Woodpecker*	<input type="checkbox"/> Ovenbird*
<input type="checkbox"/> Mute Swan*	<input type="checkbox"/> Red-headed Woodpecker	<input type="checkbox"/> Louisiana Waterthrush*
<input type="checkbox"/> Canada Goose*	<input type="checkbox"/> Hairy Woodpecker*	<input type="checkbox"/> Kentucky Warbler*
<input type="checkbox"/> Mallard*	<input type="checkbox"/> Downy Woodpecker*	<input type="checkbox"/> Yellow-breasted Chat*
<input type="checkbox"/> Black Duck*	<input type="checkbox"/> Eastern Kingbird	<input type="checkbox"/> Hooded Warbler*
<input type="checkbox"/> Wood Duck*	<input type="checkbox"/> Great Crested Flycatcher*	<input type="checkbox"/> American Redstart
<input type="checkbox"/> American Kestrel	<input type="checkbox"/> Eastern Phoebe*	<input type="checkbox"/> House Sparrow*
<input type="checkbox"/> Turkey Vulture*	<input type="checkbox"/> Acadian Flycatcher*	<input type="checkbox"/> Eastern Meadowlark
<input type="checkbox"/> Black Vulture*	<input type="checkbox"/> Eastern Wood Pewee*	<input type="checkbox"/> Red-winged Blackbird*
<input type="checkbox"/> Red-tailed Hawk	<input type="checkbox"/> Tree Swallow*	<input type="checkbox"/> Orchard Oriole
<input type="checkbox"/> Red-shouldered Hawk*	<input type="checkbox"/> Barn Swallow*	<input type="checkbox"/> Northern Oriole
<input type="checkbox"/> Bald Eagle*	<input type="checkbox"/> Purple Martin*	<input type="checkbox"/> Common Grackle*
<input type="checkbox"/> Osprey*	<input type="checkbox"/> Blue Jay*	<input type="checkbox"/> Brown-headed Cowbird*
<input type="checkbox"/> Bobwhite*	<input type="checkbox"/> Common Crow*	<input type="checkbox"/> Scarlet Tanager*
<input type="checkbox"/> Wild Turkey	<input type="checkbox"/> Fish Crow	<input type="checkbox"/> Summer Tanager*
<input type="checkbox"/> Virginia Rail	<input type="checkbox"/> Carolina Chickadee*	<input type="checkbox"/> Northern Cardinal*
<input type="checkbox"/> Spotted Sandpiper	<input type="checkbox"/> Tufted Titmouse*	<input type="checkbox"/> Blue Grosbeak
<input type="checkbox"/> Killdeer	<input type="checkbox"/> White-breasted Nuthatch*	<input type="checkbox"/> Indigo Bunting*
<input type="checkbox"/> American Woodcock*	<input type="checkbox"/> House Wren	<input type="checkbox"/> House Finch*
<input type="checkbox"/> Herring Gull	<input type="checkbox"/> Marsh Wren*	<input type="checkbox"/> Rufous-sided Towhee*
<input type="checkbox"/> Laughing Gull	<input type="checkbox"/> Carolina Wren*	<input type="checkbox"/> American Goldfinch*
<input type="checkbox"/> Forster's Tern	<input type="checkbox"/> Northern Mockingbird*	<input type="checkbox"/> Grasshopper Sparrow
<input type="checkbox"/> Mourning Dove*	<input type="checkbox"/> Brown Thrasher	<input type="checkbox"/> Field Sparrow*
<input type="checkbox"/> Rock Dove	<input type="checkbox"/> Gray Catbird*	<input type="checkbox"/> Field Sparrow*
<input type="checkbox"/> Yellow-billed Cuckoo*	<input type="checkbox"/> American Robin*	<input type="checkbox"/> Chipping Sparrow
<input type="checkbox"/> Barn Owl	<input type="checkbox"/> Eastern Bluebird*	<input type="checkbox"/> Song Sparrow*
<input type="checkbox"/> Screech Owl*	<input type="checkbox"/> Wood Thrush*	<input type="checkbox"/> Swamp Sparrow*
<input type="checkbox"/> Great Horned Owl	<input type="checkbox"/> Blue-gray Gnatcatcher	<input type="checkbox"/> _____
<input type="checkbox"/> Barred Owl*	<input type="checkbox"/> European Starling*	<input type="checkbox"/> _____
<input type="checkbox"/> Whip-poor Will	<input type="checkbox"/> White-eyed Vireo*	<input type="checkbox"/> _____
<input type="checkbox"/> Common Nighthawk	<input type="checkbox"/> Red-eyed Vireo*	<input type="checkbox"/> _____



## Summer Checklist of Birds for SERC

Compiled by J.F. Lynch and D. Niven

These species occur regularly in the Rhode River-West River watershed during the summer months (June - August). Species marked with an asterisk (\*) are known to have bred in the watershed in recent years.

---

<input type="checkbox"/> Yellow-crowned Night Heron	<input type="checkbox"/> Chimney Swift	<input type="checkbox"/> Yellow-throated Vireo*
<input type="checkbox"/> Great Blue Heron	<input type="checkbox"/> Ruby-throated Hummingbird *	<input type="checkbox"/> Northern Parula
<input type="checkbox"/> Green Heron	<input type="checkbox"/> Belted Kingfisher	<input type="checkbox"/> Pine Warbler
<input type="checkbox"/> Cattle Egret	<input type="checkbox"/> Common Flicker*	<input type="checkbox"/> Prairie Warbler*
<input type="checkbox"/> Common Egret	<input type="checkbox"/> Pileated Woodpecker*	<input type="checkbox"/> Common Yellowthroat*
<input type="checkbox"/> Snowy Egret	<input type="checkbox"/> Red-bellied Woodpecker*	<input type="checkbox"/> Ovenbird*
<input type="checkbox"/> Mute Swan*	<input type="checkbox"/> Red-headed Woodpecker	<input type="checkbox"/> Louisiana Waterthrush*
<input type="checkbox"/> Canada Goose*	<input type="checkbox"/> Hairy Woodpecker*	<input type="checkbox"/> Kentucky Warbler*
<input type="checkbox"/> Mallard*	<input type="checkbox"/> Downy Woodpecker*	<input type="checkbox"/> Yellow-breasted Chat*
<input type="checkbox"/> Black Duck*	<input type="checkbox"/> Eastern Kingbird	<input type="checkbox"/> Hooded Warbler*
<input type="checkbox"/> Wood Duck*	<input type="checkbox"/> Great Crested Flycatcher*	<input type="checkbox"/> American Redstart
<input type="checkbox"/> American Kestrel	<input type="checkbox"/> Eastern Phoebe*	<input type="checkbox"/> House Sparrow*
<input type="checkbox"/> Turkey Vulture*	<input type="checkbox"/> Acadian Flycatcher*	<input type="checkbox"/> Eastern Meadowlark
<input type="checkbox"/> Black Vulture*	<input type="checkbox"/> Eastern Wood Pewee*	<input type="checkbox"/> Red-winged Blackbird*
<input type="checkbox"/> Red-tailed Hawk	<input type="checkbox"/> Tree Swallow*	<input type="checkbox"/> Orchard Oriole
<input type="checkbox"/> Red-shouldered Hawk*	<input type="checkbox"/> Barn Swallow*	<input type="checkbox"/> Northern Oriole
<input type="checkbox"/> Bald Eagle*	<input type="checkbox"/> Purple Martin*	<input type="checkbox"/> Common Grackle*
<input type="checkbox"/> Osprey*	<input type="checkbox"/> Blue Jay*	<input type="checkbox"/> Brown-headed Cowbird*
<input type="checkbox"/> Bobwhite*	<input type="checkbox"/> Common Crow*	<input type="checkbox"/> Scarlet Tanager*
<input type="checkbox"/> Wild Turkey	<input type="checkbox"/> Fish Crow	<input type="checkbox"/> Summer Tanager*
<input type="checkbox"/> Virginia Rail	<input type="checkbox"/> Carolina Chickadee*	<input type="checkbox"/> Northern Cardinal*
<input type="checkbox"/> Spotted Sandpiper	<input type="checkbox"/> Tufted Titmouse*	<input type="checkbox"/> Blue Grosbeak
<input type="checkbox"/> Killdeer	<input type="checkbox"/> White-breasted Nuthatch*	<input type="checkbox"/> Indigo Bunting*
<input type="checkbox"/> American Woodcock*	<input type="checkbox"/> House Wren	<input type="checkbox"/> House Finch*
<input type="checkbox"/> Herring Gull	<input type="checkbox"/> Marsh Wren*	<input type="checkbox"/> Rufous-sided Towhee*
<input type="checkbox"/> Laughing Gull	<input type="checkbox"/> Carolina Wren*	<input type="checkbox"/> American Goldfinch*
<input type="checkbox"/> Forster's Tern	<input type="checkbox"/> Northern Mockingbird*	<input type="checkbox"/> Grasshopper Sparrow
<input type="checkbox"/> Mourning Dove*	<input type="checkbox"/> Brown Thrasher	<input type="checkbox"/> Field Sparrow*
<input type="checkbox"/> Rock Dove	<input type="checkbox"/> Gray Catbird*	<input type="checkbox"/> Field Sparrow*
<input type="checkbox"/> Yellow-billed Cuckoo*	<input type="checkbox"/> American Robin*	<input type="checkbox"/> Chipping Sparrow
<input type="checkbox"/> Barn Owl	<input type="checkbox"/> Eastern Bluebird*	<input type="checkbox"/> Song Sparrow*
<input type="checkbox"/> Screech Owl*	<input type="checkbox"/> Wood Thrush*	<input type="checkbox"/> Swamp Sparrow*
<input type="checkbox"/> Great Horned Owl	<input type="checkbox"/> Blue-gray Gnatcatcher	<input type="checkbox"/> _____
<input type="checkbox"/> Barred Owl*	<input type="checkbox"/> European Starling*	<input type="checkbox"/> _____
<input type="checkbox"/> Whip-poor Will	<input type="checkbox"/> White-eyed Vireo*	<input type="checkbox"/> _____
<input type="checkbox"/> Common Nighthawk	<input type="checkbox"/> Red-eyed Vireo*	<input type="checkbox"/> _____



## Summer Checklist of Birds for SERC

Compiled by J.F. Lynch and D. Niven

These species occur regularly in the Rhode River-West River watershed during the summer months (June - August). Species marked with an asterisk (\*) are known to have bred in the watershed in recent years.

---

<input type="checkbox"/> Yellow-crowned Night Heron	<input type="checkbox"/> Chimney Swift	<input type="checkbox"/> Yellow-throated Vireo*
<input type="checkbox"/> Great Blue Heron	<input type="checkbox"/> Ruby-throated Hummingbird *	<input type="checkbox"/> Northern Parula
<input type="checkbox"/> Green Heron	<input type="checkbox"/> Belted Kingfisher	<input type="checkbox"/> Pine Warbler
<input type="checkbox"/> Cattle Egret	<input type="checkbox"/> Common Flicker*	<input type="checkbox"/> Prairie Warbler*
<input type="checkbox"/> Common Egret	<input type="checkbox"/> Pileated Woodpecker*	<input type="checkbox"/> Common Yellowthroat*
<input type="checkbox"/> Snowy Egret	<input type="checkbox"/> Red-bellied Woodpecker*	<input type="checkbox"/> Ovenbird*
<input type="checkbox"/> Mute Swan*	<input type="checkbox"/> Red-headed Woodpecker	<input type="checkbox"/> Louisiana Waterthrush*
<input type="checkbox"/> Canada Goose*	<input type="checkbox"/> Hairy Woodpecker*	<input type="checkbox"/> Kentucky Warbler*
<input type="checkbox"/> Mallard*	<input type="checkbox"/> Downy Woodpecker*	<input type="checkbox"/> Yellow-breasted Chat*
<input type="checkbox"/> Black Duck*	<input type="checkbox"/> Eastern Kingbird	<input type="checkbox"/> Hooded Warbler*
<input type="checkbox"/> Wood Duck*	<input type="checkbox"/> Great Crested Flycatcher*	<input type="checkbox"/> American Redstart
<input type="checkbox"/> American Kestrel	<input type="checkbox"/> Eastern Phoebe*	<input type="checkbox"/> House Sparrow*
<input type="checkbox"/> Turkey Vulture*	<input type="checkbox"/> Acadian Flycatcher*	<input type="checkbox"/> Eastern Meadowlark
<input type="checkbox"/> Black Vulture*	<input type="checkbox"/> Eastern Wood Pewee*	<input type="checkbox"/> Red-winged Blackbird*
<input type="checkbox"/> Red-tailed Hawk	<input type="checkbox"/> Tree Swallow*	<input type="checkbox"/> Orchard Oriole
<input type="checkbox"/> Red-shouldered Hawk*	<input type="checkbox"/> Barn Swallow*	<input type="checkbox"/> Northern Oriole
<input type="checkbox"/> Bald Eagle*	<input type="checkbox"/> Purple Martin*	<input type="checkbox"/> Common Grackle*
<input type="checkbox"/> Osprey*	<input type="checkbox"/> Blue Jay*	<input type="checkbox"/> Brown-headed Cowbird*
<input type="checkbox"/> Bobwhite*	<input type="checkbox"/> Common Crow*	<input type="checkbox"/> Scarlet Tanager*
<input type="checkbox"/> Wild Turkey	<input type="checkbox"/> Fish Crow	<input type="checkbox"/> Summer Tanager*
<input type="checkbox"/> Virginia Rail	<input type="checkbox"/> Carolina Chickadee*	<input type="checkbox"/> Northern Cardinal*
<input type="checkbox"/> Spotted Sandpiper	<input type="checkbox"/> Tufted Titmouse*	<input type="checkbox"/> Blue Grosbeak
<input type="checkbox"/> Killdeer	<input type="checkbox"/> White-breasted Nuthatch*	<input type="checkbox"/> Indigo Bunting*
<input type="checkbox"/> American Woodcock*	<input type="checkbox"/> House Wren	<input type="checkbox"/> House Finch*
<input type="checkbox"/> Herring Gull	<input type="checkbox"/> Marsh Wren*	<input type="checkbox"/> Rufous-sided Towhee*
<input type="checkbox"/> Laughing Gull	<input type="checkbox"/> Carolina Wren*	<input type="checkbox"/> American Goldfinch*
<input type="checkbox"/> Forster's Tern	<input type="checkbox"/> Northern Mockingbird*	<input type="checkbox"/> Grasshopper Sparrow
<input type="checkbox"/> Mourning Dove*	<input type="checkbox"/> Brown Thrasher	<input type="checkbox"/> Field Sparrow*
<input type="checkbox"/> Rock Dove	<input type="checkbox"/> Gray Catbird*	<input type="checkbox"/> Field Sparrow*
<input type="checkbox"/> Yellow-billed Cuckoo*	<input type="checkbox"/> American Robin*	<input type="checkbox"/> Chipping Sparrow
<input type="checkbox"/> Barn Owl	<input type="checkbox"/> Eastern Bluebird*	<input type="checkbox"/> Song Sparrow*
<input type="checkbox"/> Screech Owl*	<input type="checkbox"/> Wood Thrush*	<input type="checkbox"/> Swamp Sparrow*
<input type="checkbox"/> Great Horned Owl	<input type="checkbox"/> Blue-gray Gnatcatcher	<input type="checkbox"/> _____
<input type="checkbox"/> Barred Owl*	<input type="checkbox"/> European Starling*	<input type="checkbox"/> _____
<input type="checkbox"/> Whip-poor Will	<input type="checkbox"/> White-eyed Vireo*	<input type="checkbox"/> _____
<input type="checkbox"/> Common Nighthawk	<input type="checkbox"/> Red-eyed Vireo*	<input type="checkbox"/> _____



## Summer Checklist of Birds for SERC

Compiled by J.F. Lynch and D. Niven

These species occur regularly in the Rhode River-West River watershed during the summer months (June - August). Species marked with an asterisk (\*) are known to have bred in the watershed in recent years.

---

<input type="checkbox"/> Yellow-crowned Night Heron	<input type="checkbox"/> Chimney Swift	<input type="checkbox"/> Yellow-throated Vireo*
<input type="checkbox"/> Great Blue Heron	<input type="checkbox"/> Ruby-throated Hummingbird *	<input type="checkbox"/> Northern Parula
<input type="checkbox"/> Green Heron	<input type="checkbox"/> Belted Kingfisher	<input type="checkbox"/> Pine Warbler
<input type="checkbox"/> Cattle Egret	<input type="checkbox"/> Common Flicker*	<input type="checkbox"/> Prairie Warbler*
<input type="checkbox"/> Common Egret	<input type="checkbox"/> Pileated Woodpecker*	<input type="checkbox"/> Common Yellowthroat*
<input type="checkbox"/> Snowy Egret	<input type="checkbox"/> Red-bellied Woodpecker*	<input type="checkbox"/> Ovenbird*
<input type="checkbox"/> Mute Swan*	<input type="checkbox"/> Red-headed Woodpecker	<input type="checkbox"/> Louisiana Waterthrush*
<input type="checkbox"/> Canada Goose*	<input type="checkbox"/> Hairy Woodpecker*	<input type="checkbox"/> Kentucky Warbler*
<input type="checkbox"/> Mallard*	<input type="checkbox"/> Downy Woodpecker*	<input type="checkbox"/> Yellow-breasted Chat*
<input type="checkbox"/> Black Duck*	<input type="checkbox"/> Eastern Kingbird	<input type="checkbox"/> Hooded Warbler*
<input type="checkbox"/> Wood Duck*	<input type="checkbox"/> Great Crested Flycatcher*	<input type="checkbox"/> American Redstart
<input type="checkbox"/> American Kestrel	<input type="checkbox"/> Eastern Phoebe*	<input type="checkbox"/> House Sparrow*
<input type="checkbox"/> Turkey Vulture*	<input type="checkbox"/> Acadian Flycatcher*	<input type="checkbox"/> Eastern Meadowlark
<input type="checkbox"/> Black Vulture*	<input type="checkbox"/> Eastern Wood Pewee*	<input type="checkbox"/> Red-winged Blackbird*
<input type="checkbox"/> Red-tailed Hawk	<input type="checkbox"/> Tree Swallow*	<input type="checkbox"/> Orchard Oriole
<input type="checkbox"/> Red-shouldered Hawk*	<input type="checkbox"/> Barn Swallow*	<input type="checkbox"/> Northern Oriole
<input type="checkbox"/> Bald Eagle*	<input type="checkbox"/> Purple Martin*	<input type="checkbox"/> Common Grackle*
<input type="checkbox"/> Osprey*	<input type="checkbox"/> Blue Jay*	<input type="checkbox"/> Brown-headed Cowbird*
<input type="checkbox"/> Bobwhite*	<input type="checkbox"/> Common Crow*	<input type="checkbox"/> Scarlet Tanager*
<input type="checkbox"/> Wild Turkey	<input type="checkbox"/> Fish Crow	<input type="checkbox"/> Summer Tanager*
<input type="checkbox"/> Virginia Rail	<input type="checkbox"/> Carolina Chickadee*	<input type="checkbox"/> Northern Cardinal*
<input type="checkbox"/> Spotted Sandpiper	<input type="checkbox"/> Tufted Titmouse*	<input type="checkbox"/> Blue Grosbeak
<input type="checkbox"/> Killdeer	<input type="checkbox"/> White-breasted Nuthatch*	<input type="checkbox"/> Indigo Bunting*
<input type="checkbox"/> American Woodcock*	<input type="checkbox"/> House Wren	<input type="checkbox"/> House Finch*
<input type="checkbox"/> Herring Gull	<input type="checkbox"/> Marsh Wren*	<input type="checkbox"/> Rufous-sided Towhee*
<input type="checkbox"/> Laughing Gull	<input type="checkbox"/> Carolina Wren*	<input type="checkbox"/> American Goldfinch*
<input type="checkbox"/> Forster's Tern	<input type="checkbox"/> Northern Mockingbird*	<input type="checkbox"/> Grasshopper Sparrow
<input type="checkbox"/> Mourning Dove*	<input type="checkbox"/> Brown Thrasher	<input type="checkbox"/> Field Sparrow*
<input type="checkbox"/> Rock Dove	<input type="checkbox"/> Gray Catbird*	<input type="checkbox"/> Field Sparrow*
<input type="checkbox"/> Yellow-billed Cuckoo*	<input type="checkbox"/> American Robin*	<input type="checkbox"/> Chipping Sparrow
<input type="checkbox"/> Barn Owl	<input type="checkbox"/> Eastern Bluebird*	<input type="checkbox"/> Song Sparrow*
<input type="checkbox"/> Screech Owl*	<input type="checkbox"/> Wood Thrush*	<input type="checkbox"/> Swamp Sparrow*
<input type="checkbox"/> Great Horned Owl	<input type="checkbox"/> Blue-gray Gnatcatcher	<input type="checkbox"/> _____
<input type="checkbox"/> Barred Owl*	<input type="checkbox"/> European Starling*	<input type="checkbox"/> _____
<input type="checkbox"/> Whip-poor Will	<input type="checkbox"/> White-eyed Vireo*	<input type="checkbox"/> _____
<input type="checkbox"/> Common Nighthawk	<input type="checkbox"/> Red-eyed Vireo*	<input type="checkbox"/> _____



INDIVIDUAL SPECIES MAPS

1995



# NORTHERN BOBWHITE


1995

Δ 8 June

## SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:   
 WEATHER:   
 OBSERVER:





# MOURNING DOVE

1995


## SERC BIRD CENSUS PLOT

X 16 June  
● 19 June  
□ 21 June

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: :  
TIME STARTED: :  
TIME ENDED: :

WEATHER: :  
OBSERVER: :





# YELLOW-BILLED CUCKOO

1995

## SERC BIRD CENSUS PLOT

- 21 June
- 26 June
- \* 29 June
- \* 30 June
- 7 July

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...





# BARRED OWL

1995

## SERC BIRD CENSUS PLOT

X 9 June

Δ 15 June

○ 20 June


Δ 22 June

□ 26 June

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:

WEATHER:   
 OBSERVER:





21 June seen near  
volleyball courts <sup>above</sup> on road



# RUBY THROATED HUMMINGBIRD

1995


## SERC BIRD CENSUS PLOT

- 13 June
- ▲ 23 June
- 14 July

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: :  
TIME STARTED: :  
TIME ENDED: :

WEATHER: :  
OBSERVER: :





# YELLOW SHAFTED FLICKER

1995

X 9 June

o 14 June

o 20 June

\* 26 June

\* 29 June

\* 30 June

\* 3 July

## SERC BIRD CENSUS PLOT

- o hectare grid post
- + Boundary Post
- o 50m flagging point

50m  
SCALE

WEATHER:

OBSERVER:

DATE:  
TIME STARTED:  
TIME ENDED:





# PILEATED WOODPECKER

1995

$\Delta$  8 June

X.9 June

● 13 June

0 14 June

A 15 June

- 19 June

SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ✦ Boundary Post
- o 50m flagging point

DATE :  
TIME STARTED :  
TIME ENDED :

WEATHER:  
— OBSERVER:

5400 (7)  
Row 7

55

500

CARRIAGE

OLD

1

5550(4)  
Row 4

5600 (3)  
R0203

Row 2 (5)

5700 (56w)

5200 (Row 11)  
Row 11

5250 (A)  
Row 10

50m  
SCALE

5300 (low 9)  
Row 9

Row 8  
5350 (Row 8)

Row 7  
5400 (7)

5450  
(6)  
Row 6

Row 5  
5500 (5)

5550(4)  
Row 4

5600 (9)  
R0003

Row 2 (5)

5700 (56w)

04300→

64250 →

09200 →

104150 →

041007

04350

04300

042

North Branch

OLD FENCE



# RED-BELLIED WOODPECKER 89 ha

2.5 - 3 territories

1995

## SERC BIRD CENSUS PLOT


- hectare grid post
- ✱ Boundary Post
- 50m flagging point

- △ 8 June
- X 9 June
- 13 June
- 14 June
- △ 15 June
- X 16 June
- 19 June
- 20 June
- 21 June
- △ 22 June
- 24 June
- \* 29 June
- \* 30 June
- \* 3 July
- 5 July
- 04300 →
- 7 July
- 14 July

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...

OBSERVER: ...





# HAIRY WOODPECKER +

1995

- 13 June
- x 16 June
- 14 July

## SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:   
 WEATHER:   
 OBSERVER:





# DOWNY WOODPECKER

1.2 ha

4.0 km.

1995


SERC BIRD CENSUS PLOT

DATE :  
TIME STARTED :  
TIME ENDED :

WEATHER:  
OBSERVER:

- 6 June  
 ○ 7 June  
 △ 8 June  
 × 9 June  
 □ 12 June  
 ● 13 June  
 ○ 14 June  
 △ 15 June  
 × 16 June  
 • 19 June  
 △ 22 June  
 □ 26 June  
 \* 30 June  
 \* 3 July  
 ■ 14 July  
 04300 →

- hectare grid post
- ✦ Boundary Post
- 50m flagging point





# GREAT CRESTED FLYCATCHER

+

1995


## SERC BIRD CENSUS PLOT

Δ 8 June  
X 9 June  
● 13 June

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...





# EASTERN PHOEBE +

1995

## SERC BIRD CENSUS PLOT

- X 9 June
- 13 June
- △ 15 June
- 19 June
- 20 June
- 21 June
- \* 29 June
- 14 July

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:

WEATHER:   
 OBSERVER:





# ACADIAN FLYCATCHER

$\approx 1/2$  term.

1995


SERC BIRD CENSUS PLOT

DATE :  
TIME STARTED :  
TIME ENDED :

WEATHER:  
— OBSERVER:

- ⊙ hectare grid post
- ⊕ Boundary Post
- 50m flagging point

● 6 June  
 Δ 8 June  
 X 9 June  
 □ 12 June  
 ● 13 June  
 ○ 14 June  
 Δ 15 June  
 X 16 June  
 ● 19 June  
 20 June  
 21 June  
 22 June  
 26 June  
 29 June  
 30 June  
 3 July  
 04300 →  
 5 July  
 7 July  
 14 July  
 64250 →





# EASTERN WOOD PEWEE 1.13 ha ~5 terr.

1995

## SERC BIRD CENSUS PLOT

● 6 June

△ 8 June

X 9 June

□ 12 June

● 13 June

○ 14 June

△ 15 June

X 16 June

● 19 June

○ 20 June

□ 21 June

△ 22 June

□ 26 June

X 29 June

\* 30 June

\* 3 July

04300 →

04250 →

04200 →

04150 →

04100 →

Back Gate

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

50m  
SCALE

DATE: TIME STARTED: TIME ENDED:

WEATHER: OBSERVER:

5200 (Row 11)  
Row 11

5250 (A)  
Row 10

5300 (Row 9)  
Row 9

5350 (Row 8)  
Row 8

5400 (Row 7)  
Row 7

5500 (S)  
Row 5

5550 (4)  
Row 4

5600 (3)  
Row 3

5650 (2)  
Row 2

5700 (Row 1)  
Row 1

CARRIAGE

OLD

ROAD

1/4

04350

04300

North Branch

0420

OLD FENCE

1/4

1/4

Back Gate



# BLUE JAY

1+

1995


- X 9 June
- 13 June
- X 16 June
- o 20 June
- 5 July
- 14 July

## SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- o 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...





# AMERICAN CROW (+)

1995


## SERC BIRD CENSUS PLOT

- X 9 June
- 12 June
- 19 June
- \* 29 June
- X 30 June
- \* 3 July

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: :  
TIME STARTED: :  
TIME ENDED: :

WEATHER: :  
OBSERVER: :





FISH CROW (+)

1995


Δ 8 June

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...





# CAROLINA CHICKADEE 1+

1995

X 9 June

• 19 June

\* 29 June

\* 30 June


■ 14 July

## SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...





TUFTED TITMOUSE 1.58 ha 4.0pr

1995


# SERC BIRD CENSUS PLOT

- 6 June
- △ 8 June
- × 9 June
- 13 June
- 14 June
- △ 15 June
- × 16 June
- 19 June
- 20 June
- 21 June
- 26 June
- \* 29 June
- \* 30 June
- \* 3 July

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...






15

SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ⊕ Boundary Post
- 50m flagging point

WEATHER:  
— OBSERVER:





# CAROLINA WREN 0.5 pr


1995

## SERC BIRD CENSUS PLOT

- 6 June
- △ 8 June
- 13 June
- 14 June
- △ 15 June
- 26 June

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:   
 WEATHER:   
 OBSERVER:





WOOD THRUSH

15.5 terr.


1995

# SERC BIRD CENSUS PLOT

- 6 June
- △ 8 June
- × 9 June
- 12 June
- 13 June
- 14 June
- △ 15 June
- × 16 June
- 19 June
- 20 June
- 21 June
- △ 22 June
- 26 June
- × 29 June
- \* 30 June
- \* 3 July
- 5 July
- 7 July

- nectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:   
 WEATHER:   
 OBSERVER:





# BLUE GRAY GNATCATCHER

1995


13 June

## SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...









# NORTHERN PARULA WARBLER +


1995

- ▲ 8 June
- × 9 June
- 13 June
- 14 June
- △ 15 June
- × 16 June
- 19 June
- 20 June
- △ 21 June
- 26 June
- × 29 June
- \* 3 July
- 7 July

## SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:   
 WEATHER:   
 OBSERVER:   
 5400 (7) Row 7





# COMMON YELLOWTHROAT

1995

## SERC BIRD CENSUS PLOT

- Δ 8 June
- X 9 June
- 14 June
- 19 June
- 20 June
- 26 June
- \* 29 June

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:

WEATHER:   
 OBSERVER:





OVENBIRD

7.5 ha

1995

# SERC BIRD CENSUS PLOT

- 6 June
- 7 June
- △ 8 June
- × 9 June
- 12 June
- 13 June
- 14 June
- △ 15 June
- × 16 June
- 19 June
- 20 June
- 21 June
- 26 June
- × 29 June
- × 30 June
- \* 3 July
- 04300
- 5 July
- 7 July

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...

50m  
SCALE

5200 (Row 11)  
Row 11

5250 (6)  
Row 10

5300 (Row 9)  
Row 9

5350 (Row 8)  
Row 8

5400 (7)  
Row 7

5450 (6)  
Row 6

5500 (5)  
Row 5

5550 (4)  
Row 4

5600 (3)  
Row 3

5650 (2)  
Row 2

5700 (Row 1)

04350

04300

North Branch


0420

04250 →

04200 →

04150 →

Back Gate 04100 →





# LOUISIANA WATERTHRUSH +

1995

- 12 June
- 14 June
- △ 15 June
- × 16 June
- 19 June
- 26 June
- \* 29 June
- \* 3 July
- 7 July

## SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:

WEATHER:   
 OBSERVER:





# HOODED WARBLER

no?


1995

## SERC BIRD CENSUS PLOT

19 June  
6 20 June

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE:   
TIME STARTED:   
TIME ENDED:   
WEATHER:   
OBSERVER:





# COMMON GRACKLE +

1995

- ▲ 15 June
- 19 June
- 21 June
- \* 29 June

## SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:   
 WEATHER:   
 OBSERVER:   
 5450 (6) Row 6





BROWN HEADED COWBIRD

present (concur)

1995


SERC BIRD CENSUS PLOT

- X 9 June  
● 13 June  
△ 15 June  
X 16 June  
● 19 June  
○ 20 June  
□ 21 June  
□ 26 June  
X 29 June  
\* 30 June  
\* 3 July  
■ 14 July

- ⊙ hectare grid post
- ⊕ Boundary Post
- 50m flagging point

DATE :  
TIME STARTED :  
TIME ENDED :

WEATHER:  
— OBSERVER:





# SCARLET Tanager

1.82 ha

2 km

1995

## SERC BIRD CENSUS PLOT

- 6 June
- △ 8 June
- × 9 June
- 12 June
- 13 June
- 14 June
- △ 15 June
- × 16 June
- 19 June
- 21 June
- △ 22 June
- \* 26 June
- \* 30 June
- \* 3 July
- 5 July
- 04300
- 14 July

- hectare grid post
- ✱ boundary post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:   
 2 km

WEATHER:   
 OBSERVER:

50m   
 SCALE   
 5250 (Row 10)   
 5300 (Row 9)   
 5350 (Row 8)   
 5400 (Row 7)   
 5450 (Row 6)   
 5500 (Row 5)   
 5550 (Row 4)   
 5600 (Row 3)   
 5650 (Row 2)   
 5700 (Row 1)

04250 →

04200 →

04150 →

Back Gate 04100 →

04350

04300

0420

North Branch

OLD FENCE

... ? ... ? ... ?




+

SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ⊕ Boundary Post
- 50m flagging point

DATE :  
TIME STARTED :  
TIME ENDED :

WEATHER:  
OBSERVER:





# INDIGO BUNTING


1995  
 ▲ 8 June  
 □ 12 June  
 ● 13 June  
 ○ 14 June  
 ▲ 15 June  
 □ 21 June  
 ▲ 22 June  
 \* 26 June  
 ■ 7 July

## SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: :  
 TIME STARTED: :  
 TIME ENDED: :

WEATHER: :  
 OBSERVER: :





# RUFous SIDED TOWHEE

0

1995


13 June

## SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE:   
 TIME STARTED:   
 TIME ENDED:

WEATHER:   
 OBSERVER:






AMERICAN GOLDFINCH  
1995 SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: ...  
TIME STARTED: ...  
TIME ENDED: ...

WEATHER: ...  
OBSERVER: ...






1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: 6 June 95  
 TIME STARTED: 0800  
 TIME ENDED: 1005

WEATHER: overcast, COOL  
 OBSERVER: JFL



FLAGGING MAP




1995

SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: 6 June  
TIME STARTED: 3:30 - 4:15 pm  
TIME ENDED: 5:00

WEATHER: d/c  
OBSERVER: Cool





My 2nd to 3rd

11 Species  
for day

100

100

100

100

100

100

100

100

100



1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point



DATE: 7 June 95  
TIME STARTED: 15:10  
TIME ENDED: 16:00

WEATHER: Clear, hot  
calm

OBSERVER: JFE, NP

5400 (7) Row 7  
5450 (6) Row 6  
5500 (5) Row 5  
5550 (4) Row 4  
5600 (3) Row 3  
5650 (2) Row 2  
5700 (1) Row 1

CARRIAGE

REV

START HERE  
8 June

DOWD

Plugged to here  
6 June

OLD FENCE

North Branch



Pond -

WBNV  
muskrat near road

4 species today.

28 mals  
0.12

1.12  
1.12  
1.12  
1.12  
1.12

1.12  
1.12  
1.12  
1.12  
1.12

1.12

1.12  
1.12  
1.12  
1.12

1.12  
1.12







- BALD EAGLE  
sighted  
in the pond  
DAM - "bathing"

- Cattle egret on  
in eve pond

- 18 species



1995


SERC BIRD CENSUS PLOT

- hectare grid post
- ⊕ Boundary Post
- 50m flagging point

DATE: 9 June  
TIME STARTED: 6:30 AM  
TIME ENDED: 10:45 AM

WEATHER: Sunny (5)  
OBSERVER: NP+JL (5)

BMCO - Brown Headed Cowbird  
WBNU - Nutcracker  
GCF - Great Crested Flycatcher  
EAPH - Pheasant  
YSFL - Yellow Shaped Flicker  
500035  
Row 11  
5525  
Row 10  
5300  
Row 9  
new species for count.





— Wood duck  
pair on pond

— Box turtle at  
Southern end of  
row 7

— 21 species today




1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: June 12  
TIME STARTED: 6:30 AM  
TIME ENDED: 7:45 AM

WEATHER: Mostly cloudy rain last night  
breezy  
OBSERVER: NP





Fieldtrip to DC.

Rain in aftr + evening

-10 species



1995


# SERC BIRD CENSUS PLOT

★ = Starting point

- hectare grid post
- ✱ Boundary Post
- 50m flagging point

DATE: 6/13  
TIME STARTED: 6:45  
TIME ENDED: 11:15

WEATHER: partly sunny, cooler, breezy  
OBSERVER: NP





- Trackle  
on  
leaver  
pond

- young wOTH being fed @  
5300 - 4300

- Acadian flycatcher nest  
between Row 7+8 @  
intersection of roads

- Quite breezy by 10AM  
birds stopped singing

- 17 species




1995

SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ⊕ Boundary Post
- 50m flagging point

DATE: 13 June  
TIME STARTED: 6:30 PM  
TIME ENDED: 8 PM

WEATHER: Clear  
OBSERVER: NP CA + Extra





- Great Blue or pond
- Green heron
- mallard
- ♀ wood duck
- hairy woodpecker
- common grackle
- chimney swift
- No. roughwinged

Added 3 new species

- Ruby Throated Hummingbird
- B & G Gnatcatcher
- Rufous Sided Towhee



1995

# SERC BIRD CENSUS PLOT

\* = Starting pt.

RWBL =

Red Winged Black Bird

- hectare grid post
- ✱ Boundary Post
- 50m flagging point


50m

SCALE

DATE: 14 June  
TIME STARTED: 6:15 AM  
TIME ENDED: 10:36

WEATHER: Mostly cloudy

OBSERVER: NP





- pecked at  
the pond

- Breezy around 9:30 AM -  
Birds began to quiet down




1991

# SERC BIRD CENSUS PLOT


COGR = Common Grackle  
○ hectare grid post  
+ Boundary Post  
○ 50m flagging point

DATE: 15 June  
TIME STARTED: 6:15  
TIME ENDED: 10:15  
BP

WEATHER: Clear  
OBSERVER: JL, NP










1995

SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ⊕ Boundary Post
- 50m flagging point

DATE: 6-15-95  
TIME STARTED: 7  
TIME ENDED: 7:30

WEATHER: Hot + Clear  
OBSERVER: NP + CA






1995

SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ⊕ Boundary Post
- 50m flagging point


DATE: 16 June  
TIME STARTED: 6:15  
TIME ENDED: 10:45

WEATHER: clear  
OBSERVER: NP





PATTERN






1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: 6/19  
TIME STARTED: 6:45  
TIME ENDED: 10:15

WEATHER: clear, warm  
OBSERVER: NP





PATTERN





1995

SERC BIRD CENSUS PLOT

DATE: 6/20

TIME STARTED: 6:30 PM


TIME ENDED

WEATHER: Mostly ~~cloudy~~ <sup>cloudy</sup> ~~sun~~ <sup>sun</sup> ☁ ☀

OBSERVER: NP HOT! 0000

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

Goldfinch  
flew over  
western  
triangle





Pattern





1995

SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: 21 June

TIME STARTED: 6:45

TIME ENDED 10:00

WEATHER: Mostly cloudy

OBSERVER: NP





not much  
singing -  
too breezy +  
overcast

- ⊙ hectare grid post
- ✦ Boundary Post
- 50m flagging point

TIME STARTED : 7AM  
TIME ENDED : 8:30

WEATHER: Overcast, Breezy  
OBSERVER: NP

OPSERVER: NP

RHH = Ruby Throated Hummingbird (RHH)

50m  
SCALE

Row 10  
5250 (A)

5300 (low)  
Row 9

W5350 (R008)  
R008

5400 (7)  
Row 7

5450  
(6)  
R0W6

5500 (5B) Row 5 Crazy  
-with- 5550 Row 2  
CARRIAGE 5550 Row 2

5600 (S)  
Row 3  
ROAD

560 (2)  
Row 2 (2)

WITH 5700 (Bw)

04350

04300

North Branch

0421

On pond  
Red Sh. hawk

04300→

64250 →

09200 →

104150 →

RB 30

5577

CGMI

04100-


Europe

late

2750

1125

with  
worth  
do do



10

7-10-19

Place

REVI

100%

10

ROH  
(RUH  
NACH

AC



1995


SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE : 6/26  
TIME STARTED : 7:15  
TIME ENDED : 11:00

WEATHER: Overcast

OBSERVER: NP





— Started @ Western triangle

← BAOW flushed after

RTHA (Red tailed hawk) called at  
Southern end of plot.



1995


SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: 29 June  
TIME STARTED: 7 AM  
TIME ENDED: 10 AM

WEATHER: Overcast ☁

OBSERVER: NP






1995

SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: 30 June  
TIME STARTED: 7AM  
TIME ENDED: 9:45

WEATHER: Overcast  
OBSERVER: NP






1995

SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: 4/3/95 \*  
TIME STARTED: 7 AM (b)  
TIME ENDED: 9:45 (b) 4

WEATHER: Sunny,  
drier  
OBSERVER: ND





1995

SERC BIRD CENSUS PLOT

- ⊙ hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: 5 July. ☒

TIME STARTED: 14:35

TIME ENDED: 15:00

WEATHER: Sunny, humid (5) 5  
OBSERVER: NP 00 00





you  
you you you



1995

SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: 7 July  
TIME STARTED: 6:30  
TIME ENDED: 7:45

WEATHER: overcast  
OBSERVER: NP





Fawns  
spotted again  
at southern  
end - b turn  
rows 3+4



1995

SERC BIRD CENSUS PLOT


- ⊙ hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE : 14/05/2022  
TIME STARTED : 6:30  
TIME ENDED : 8:30

Tree/Bird Walk w/Jess P. DO DO

WEATHER: Sunny

OBSERVER: NP, CA





1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: ..  
TIME STARTED: ..  
TIME ENDED: ..

WEATHER: ..  
OBSERVER: ..





1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: :  
TIME STARTED: :  
TIME ENDED: :

WEATHER: :  
OBSERVER: :





1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: ..  
TIME STARTED: ..  
TIME ENDED: ..

WEATHER: ..  
OBSERVER: ..





1995

# SERC BIRD CENSUS PLOT

- hectare grid post
- ✦ Boundary Post
- 50m flagging point

DATE: ..  
TIME STARTED: ..  
TIME ENDED: ..

WEATHER: ..  
OBSERVER: ..





Jim -

18 Aug '95

Welcome back! I hope you had a wonderful trip.

Things here worked out well. We finished the 2nd arthropod survey and left the results for Candy to complete a 3rd survey in Sept.

In this pile you will find the following:

- Your bird slides
- All data from previous bird surveys
- Your clipboard
- Your field bag
- 1995 Bird Census territory maps
- Arthropod Survey Methods w/ previous stat. tests
- 2 copies of "Final Report - Trends of the 1983-1995 SERC Breeding Bird Survey"
- 2 copies of "Breeding Bird Survey 1995"
- Your Conservation of NTM bird book.
- Your Breeding Bird Survey Book.
- 2 computer disks (see over) →



① The IBM Disk contains

File name: a lotus 1-2-3 file of both  
Arthro ← the 1<sup>st</sup> (13, 14, 17, 19 July) and 2<sup>nd</sup>  
(9, 11 Aug) Arthropod surveys.

Filename: it also contains a lotus 1-2-3  
Birds ← file with the Breeding Bird  
Survey data 1983-1995.

② The MAC Disk contains  
MAC WORD files

- Arthropod Survey
- FINAL REPORT
- FINAL REPORT - Trends
- Census summary - (1983-95 chart)
- census 2.xls - (excel spreadsheet of chart)
- Summary - (summary pts used in pres.)
- FINAL Report - Summary (bird survey)
- beaver pond (list of beaver pond bird species)
- bird. trend (chart w/species categorized: if increasing, etc)



If think that covers everything!  
Thank you again! I had a wonderful  
experience working here this summer.  
I'll keep you posted about my  
graduate school search.

Please do not hesitate to contact  
me regarding any of the info I  
left for you.

Thanks again!

Nancy

Nancy Polen  
434 West Fourth St.  
Quarryville, PA 17566  
(717) 786-7830

[E-mail]  
"NatureNera@  
aol.com"

WORK: Martin Meylin Middle School  
Lampeter-Strasburg SD  
1007 Village Rd  
Lampeter, PA 17537  
(717) 464-3311